



# Table of fabrics 2015

© Copyright 2015 MDF Italia SpA

# TABLE OF FABRICS: sofas

# TABLE OF FABRICS: THEA sofa

		ALLEN	BORA BORA	FIN	GRAFO upholstered Sectionals	GRAFO cushions	HARA	MATE 2012	MIA	PAD	SLIDING	YALE	YALE in down
B	CADY	X		•	•	•	•	•	•	X	•	•	•
B	GIN	•		•	•	•	•	•	•	•	•	•	•
B	MAIA	•	•				•		X	X	•	•	X
B	YORK	•	•	•			•	•	•	•	•	•	•
C	FRANK	•	X		X	•		•	•	•	•	•	•
C	JAC	•	•	•	•	•	•	•	•	•	•	•	•
C	MANILA	•		X	X	X	•	X	X	•	•	•	•
D	DUNE	•	•	•	•	•	•	•	•	•	•	•	•
D	LUXOR	•	•	•			•	X	X	•	•	•	•
D	MENFI	•	•	•	•	•	•	•	•	•	•	•	•
D	MONACO	•	X	•		•	•	•	•	•	•	•	•
<b>NEW</b> D	PERTH	•	•	•			•	•	•	•	•	•	•
D	SOLE	•	•	•	•	•	•	•	•	•	•	•	•
D	SONORA	•	X	•	•	•	•			•	•	•	•
D	SUAVE	•	X	•	•	•				•	•	•	•
D	TIKA	•	•	•	•	•	•			•	•	•	•
D	WILLIAM	•	X			•	•	•	•	•	•	•	•
E	OXFORD	X	X	X	X	X	X	X	X	X	X	X	X
E	TANIS	•	•	X	•	•	•				•	•	•
F	LONDRA			X	X	X	X		X	•			
<b>NEW</b> F	PRAGA			X	X	X	X		X	•			
F	SAHARA	•	•	•	•	•	•			•	•	•	•
G	DIVINA /DIVINA MELANGE	•	•	•			X	•		•	•	•	•
	MDF ITALIA LEATHER	•	•	•	•	•	•	•	•	•	•	•	•

		SOFA	HEADREST CUSHION	BACK CUSHION	SQUARE CUSHION	QUILT side A	QUILT side B	BLANKET
B	CADY						X	X
B	GIN	•	•	•	•	•	X	X
B	MAIA	•	•	•	•	•	X	X
B	YORK	X	X	X	X	X	X	X
C	FRANK	X	X	X	X	X	X	X
C	JAC	•	•	•	•	•	X	X
C	MANILA	X	X	X	X	X	X	X
D	DUNE	•	•	•	•	•	X	X
D	LUXOR						X	X
D	MENFI	•	•	•	•	•	X	X
D	MONACO						X	X
<b>NEW</b> D	PERTH	•	•	•	•	•	X	X
D	SOLE	•	•	•	•	•	X	X
D	SONORA	•	•	•	•	•	X	X
D	SUAVE	X	X	X	X	X	X	X
D	TIKA	•	•	•	•	•	X	X
D	WILLIAM						X	X
E	OXFORD	X	X	X	X	X	X	X
E	TANIS						X	X
F	LONDRA	X	X	X	X	X	X	X
<b>NEW</b> F	PRAGA	X	X	X	X	X	X	X
F	SAHARA	•	•	•	•	•	X	X
G	DIVINA /DIVINA MELANGE	•	•	•	•	•	X	X
	MDF ITALIA LEATHER	X	X	X	X	X	X	X

<b>NEW</b> C	TEBE	X	X	•	•	X	•	X
D	ABAKAN	X	X	•	•	X	•	•
D	GIZA	X	X	•	•	X	•	•
G	DELHI	X	X	•	•	X	•	X
G	GOA	X	X	•	•	X	•	X
G	KATAI	X	X	•	•	X	•	X
H	ALTAI	X	X	•	•	X	•	•

**NB:** To maintain uniformity in weft and colour, seams on the seats of all dormeuse models might be required depending on the fabric used.











- suitable
- not recommended: it is always requested to ask our Quality Control Dept for suitability. Once suitability is confirmed, the client remains responsible for the end result of the upholstered product
- X unsuitable



# FABRIC TECHNICAL SPECS

---

## Legenda

<b>CO</b>	Cotton
<b>LI</b>	Linen
<b>PA</b>	Polyamide
<b>PC</b>	Acrylic
<b>PL</b>	Polyester
<b>PP</b>	Polypropylene
<b>PU</b>	Polyurethane
<b>SE</b>	Silk
<b>VI</b>	Viscose
<b>WO</b>	Wool
<b>WS</b>	Cashmere
<b>WV</b>	Woolmark
	Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
	Dry clean only. Do not wash in water. Treat with care when damp.
	Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
	Do not dry clean.
	Dry clean with hydrocarbons and trifluoro-trichloroethane.
	Do not tumble dry.
	Warm iron (max 110°C).
	Warm iron (max 150°C).
	Do not iron.
	Do not use chlorine bleach.

# Fabric collection

# Fabric collection

FABRIC	TYPOLGY	CATEGORY	COMPOSITION	HEIGHT	WEIGHT	SHRINKAGE %	MARTINDALE	PILLING	LIGHTFASTNESS	FIRE RESISTANCE	BRITISH STANDARD - USE OF FABRIC IN UK	SYMBOLS	MAINTENANCE NOTES
CADY	Fabric	B	72% CO - 28% PC	140cm	775gr/mtl	-	20.000	4	4/5	BS 5852 source 0, cigarette Test			
GIN	Fabric	B	75% CO 25% VI - Teflon treatment	140cm	615gr/mtl	-	45.000	3	5	BS 5852 source 0, cigarette Test, source 1 match, EN 1021-1/2, US Cal. Tech. Bull. 117 - 2013	BS 5852 source 0, cigarette test, source 1 Match test		
MAIA	Fabric	B	36% CO - 26% LI - 18% BAMBOO - 17% PP - 3% PA	140cm	800gr/mtl	warp -4, weft -2	30.000	4	4/5	BS 5852 source 0, cigarette Test			
YORK	artificial leather	B	19,5%CO 26,3% PL 54,2%PU	140cm	616gr/mtl	-	51.200		4/5	BS 5852:2006 Crib 5, source 0, cigarette test, source 1, match test FMVSS USA, 1IM, UNI 9175:1987, FA-1 1994, US Cal. Tech. Bull. 117 - 2013	Crib 5 BS 5852 source 0, cigarette test, source 1 Match test		Clean with a damp cloth. Use neutral detergent, rinse and dry. Do not use alcohol or solvents. Warning: non-colourfast fabrics (such as jeans or similar items) can leave stubborn stains or spots on light coloured eco leather.
FRANK	Fabric	C	52% CO 20% VI 18% WO 10%LI	140cm	650gr/mtl	-	30.000	3/4	4/5	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
JAC	Fabric	C	38% CO - 24% PC - 18% VI - 12% WO - 6% PL - 2% PA	138/140cm	500gr/mtl	-	20.000	4/5	4/5	BS 5852 source 0, cigarette Test			
MANILA	Fabric	C	100% CO Teflon treatment	150cm	470gr/mtl	-	30.000	4	5	BS 5852 source 0, cigarette Test, AS/NZS 3837, EN 1021-1/2, US Cal. Tech. Bull. 117 - 2013	Interliner - BS 5852 source 0, cigarette test		
DUNE	Fabric	D	50%CO 33%VI 17%LI	140cm	960gr/mtl	-	35.000	4/5	5	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
LUXOR	Fabric	D	56% LI - 34% CO - 10% PA	138/140cm	910gr/mtl	-	18.000	4	4	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
MENFI	Fabric	D	90%LI 10%PA	140cm	1200gr/mtl	warp -1, weft -1	30.000	4/5	4/5	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
MONACO	Fabric	D	50% CO - 17% LI - 33% VI	140cm	950gr/mtl	-	35.000	3/4	4/5	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
PERTH	Fabric	D	100% WO	140cm	540 gr/mtl	-	> 40.000	4	4/5	BS 5852 Source 0 cigarette Test	BS 5852 Source 0 cigarette test source 1 Match test		
SOLE	Fabric	D	100% PL - trevira CS	138cm	735gr/mtl	warp -2, weft -2.5	25.000	5	4/5	BS 5852 source 0, cigarette Test, source 1 Match Test, 1 IM	BS 5852 source 0, cigarette test, source 1 Match test		
SONORA	Fabric	D	56% CO - 30% VI - 14% LI	140cm	920gr/mtl	-	25.000	4	5/6	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
SUAVE	Fabric	D	50% CO - 50% VI	140cm	920gr/mtl	-	30.000	4	4	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
TIKA	Fabric	D	46% CO - 47% VI - 7% LI	140cm	820gr/mtl	-	27.000	4	5/6	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
WILLIAM	Fabric	D	56%CO 30%VI 14%LI	140cm	900gr/mtl	-	36.000	3/4	4/5	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
OXFORD	Technical fabric	E	100% CO - Nanosphere treatment	145cm	410gr/mtl	-	100.000	5	4/5	BS 5852 source 0, cigarette Test, US Cal. Tech. Bull. 117 - 2013	Interliner - BS 5852 source 0, cigarette test		Wash stains under running water. It is advisable to blot instead of rubbing the fabric.
TANIS	Fabric	E	70% LI - 30% CO	140cm	800gr/mtl	-	21.000	4	> 4	BS 5852 source 0, cigarette Test	Interliner - BS 5852 source 0, cigarette test		
LONDRA	Technical fabric	F	100% PU -backing 100% PL	137cm	620gr/mtl	-	> 200.000		5/6	US Cal. Tech. Bull. 117 - 2013			Clean with a dry or damp cloth.
PRAGA	Technical fabric	F	100% PU backing 100% PL	137cm	459gr/mtl	-	> 70.000		6	US Cal. Tech. Bull. 117 - 2013			Clean with a dry or damp cloth.
SAHARA	Fabric	F	96% WO - 6% PA	140cm	830gr/mtl	-	50.000	4	4	BS 5852 source 0, cigarette Test, source 1 match Test, FAR 25.853a international, DIN 4102 Germany, US Cal. Tech. Bull. 117 - 2013	BS 5852 source 0, cigarette test, source 1 Match test		
DIVINA DIVINA MELANGE	Fabric	G	100% WO	150cm	820gr/mtl	-	45.000		5/6	BS 5852 source 0, cigarette Test, source 1 match Test, source 5 Crib 5, BS 5857 part 2 Type B, DIN 4102 B2, ONORM B1/Q1, AS/NSZ 1530.3, EN 1021-1/2, IMO A. 652 (16), NFPA 260, NF D 60 013, UNI 9175 1 IM, US Cal. Tech. Bull. 117 - 2013	BS 5852 source 0, cigarette test, source 1 Match test		
LEATHER	Full grain		Hides of European bovines. Chemicals used for tanning, dyeing and finishing the leather do not contain substances which are hazardous for human health and the environment.	4.5/5sqm - thickness 1.3/1.5mm					> 6	UNI EN 1021 Part 1, cigarette Test, part 2 Match Test	BS 5852 source 0, cigarette test, source 1 Match test		For normal cleaning, dust with a soft dry cloth. Stains can be removed with a cloth and delicate cleaning products, such as neutral soap or cleansing milk. Dry immediately after cleaning, without rubbing the surface. Do not use solvents or stain removers.

# THEA sofa fabrics

FABRIC	TYPOLGY	CATEGORY	COMPOSITION	HEIGHT	SYMBOLS
TEBE	Fabric	C	55% LI - 45% CO	140cm	
ABAKAN	Fabric	D	65% WO - 20% PA - 15% WS	150cm	
GIZA	Fabric	D	100% LI	140cm	
DELHI	Fabric	G	100% SE	140cm	
GOA	Fabric	G	100% SE	137cm	
KATAI	Fabric	G	100% SE	135cm	
ALTAI	Fabric	H	90% WV - 10% WS	150cm	

## MAINTENANCE NOTES

For a proper care of the product, please read the technical specs of the selected fabric. Because fabrics are natural materials, variations in the colour of swatches and final hide or piece used should be expected. In addition to this, according to fibre types such as linen and silk, irregularity in weft, colour and texture after ironing is a peculiar characteristic, which enhances their beauty.